



STORMWATER MANAGEMENT SMALL PROJECT APPLICATION

*To be used whenever more than 1,000 sq. ft. of impervious surface
or non-exempt single family homes are proposed.*

To Calculate * <u>Impervious Areas</u> Please Complete This Table					
Surface Type	Length	X	Width	=	Proposed Impervious Area
Building (area per downspout)		X			
		X			
		X			
		X			
Driveway		X			
		X			
Parking Areas		X			
		X			
Patios/Walks		X			
		X			
Other		X			
		X			
Total Impervious Surface Area to be managed (sum of all areas)					

If the Total Impervious Surface Area is LESS THAN 2,500 Square Feet, please complete Site Plan, read, acknowledge and sign below.

If the Total Impervious Surface Area EXCEEDS 2,500 Square Feet, complete the remainder of the Application.

*Impervious Areas are areas that prevent the infiltration of water into the ground.
(Roofs, patios, garages, storage sheds and similar structures, and any new streets or sidewalks)

Based upon the information you have provided a **Stormwater Management Plan IS NOT required** for this regulated activity. Additional information and/or SWM may be requested for any reason.

Property Owner Acknowledges that submission of inaccurate information may result in a stop work order or permit revocation. Acknowledgement of such is by signature below. I declare that I am the owner or owner's legal representative. I further acknowledge that the information provided is accurate and employees of the Jefferson County Conservation District and/or the municipality are granted access to the above described property for review and inspection as may be required.

	Owner	Date
	Address	Municipality:
		Phone:

STORMWATER MANAGEMENT - SMALL PROJECT APPLICATION

Page 2

Credit 1: Disconnection of Impervious Area

When runoff from impervious areas is directed to a pervious area that allows for infiltration, filtration, and increased time of concentration, all or parts of the impervious areas may qualify as Disconnected Impervious Area (DIA). Using the criteria below, determine the portion of the impervious area that can be excluded from the calculation of total impervious area.

Criteria: An impervious area is considered to be completely or partially disconnected if it meets the requirements listed below.

- Rooftop area draining to a downspout is ≤ 500 sf
- Paved area draining to a discharge is $\leq 1,000$ sf
- Flow path of paved impervious area is not more than 75'
- Soil at discharge is not designated as hydrologic soil group "D"
- Flow path at discharge area has a positive slope of $\leq 5\%$
- Gravel strip or other spreading device is required at paved discharges

Length of Pervious Flow Path from Discharge point* (ft)	DIA Credit Factor
0-14	1.0
15-29	0.8
30-44	0.6
45-59	0.4
60-74	0.2
75 or more	0

*Flow path cannot include impervious surfaced and must be at least 15 feet from any imperious surfaces.

Calculate DIA Credit & Required Capture Volume									
Surface Type	Proposed Impervious Area (from previous sheet)	X	DIA Credit Factor	=	Impervious Area To Be Managed	÷	=	Required Capture Volume (ft ³)	
Building (area per downspout)	X		=	÷	6	=
	X		=	÷	6	=
	X		=	÷	6	=
	X		=	÷	6	=
Driveway	X		=	÷	6	=
	X		=	÷	6	=
Parking Areas	X		=	÷	6	=
	X		=	÷	6	=
Patios/Walks	X		=	÷	6	=
	X		=	÷	6	=
Other	X		=	÷	6	=
	X		=	÷	6	=
	X		=	÷	6	=
Total Req'd Capture Volume									

STORMWATER MANAGEMENT - SMALL PROJECT APPLICATION

Page 3

Credit 2: Tree Planting

Perhaps the best BMP is a tree as they intercept rainfall, increase evapotranspiration and increase time of concentration. A portion of the required capture volume can be reduced provided the criteria are met.

CREDITS

Deciduous Trees	Evergreen Trees
6 ft ³ per tree planted	10 ft ³ per tree planted

Native Species Trees (Common Name)
Blackgum
Cucumber magnolia
Hophornbeam
Maple, (sugar, red or silver)
Pine, (pitch or eastern white)
Ironwood
Hickory, (sweet pignut or shag-bark)
Sycamore, American
Cotton-wood, eastern
Aspen, (big-tooth or quaking)
Cherry, black
Oak, (white, swampwhite, scarlet, Pin, red, black)
Dogwoods (silky or red osier)
Tuliptree
Willow, black
Chokeberry, (red or black)
Basswood, American
Serviceberry, (downy or shadbush)
Elderberry
Witch hazel
Mountain laurel

Criteria

To receive credit for planting trees, the following must be met:

- Trees must be native species, minimum 2" caliper and 6 ft. tall (min).
- Trees shall be adequately protected during construction.
- Trees shall be maintained until redevelopment occurs.
- No more than 25% of the runoff volume can be mitigated through the use of trees.
- Dead trees shall be replaced within 6 months.
- Non-native species are not applicable.

-	<input type="text"/>	Req'd Capture Volume (ft³)
-	<input type="text"/>	Tree Planting Credit (ft³)
	<input type="text"/>	Capture Volume to be managed (ft³)

Sizing of BMP

	<input type="text"/>	How much of the Volume Will you manage with a Rain Garden?
+	<input type="text"/>	How much of the Volume Will you manage with a Sump or Trench?
	<input type="text"/>	Capture Volume to be managed (ft³)

Enter the volumes into the **Small Project SWM Plan Worksheet** on the next sheet.

STORMWATER MANAGEMENT - SMALL PROJECT APPLICATION

Page 4

Small Project SWM Plan Worksheet

Based upon the information you have provided a Stormwater Plan IS required for this development activity. The Stormwater Management Ordinance developed through the *Jefferson County Act 167 Stormwater Management Plan* regulates compliance requirements for Stormwater Management in this jurisdiction. A complete copy of the Plan can be found at the Jefferson County Office.

Regulated activities shall be conducted only after a stormwater management plan is approved by the municipality. The *Jefferson County Act 167 Stormwater Management Plan* will assist you in preparing the necessary information and plans for review and approval. **This document will constitute an approved plan if all of the relevant details are to be installed in their entirety AND no part of the stormwater system adversely affects any other property, nor adversely affect any septic systems or drinking water wells on this or any other parcel.** If an alternative system is to be used, a plan will need to be submitted for approval. A design by a qualified professional may be required for more complex sites.

PLEASE INITIAL BELOW TO INDICATE THE STORMWATER MANAGEMENT PLAN FOR THIS SITE

- Minimum Control #1: Erosion & Sediment Pollution Control
- Minimum Control #2: Source Control of Pollution
- Minimum Control #3: Preservation of Natural Drainage Systems and Outfalls

The relevant details from the *Jefferson County Act 167 Stormwater Management Plan* will be installed in their entirety AND the system will be located as not to adversely affect other property, nor any septic systems or drinking water wells on this or any other parcel.

To meet this requirement, the following will be installed and maintained:

Capture Volume to be managed (ft ³)		Conversion	Surface Area of BMPs (ft ²)
By Rain Garden 6" ponding; 2' soil depth	x	1.20	
Dry Well or Infiltration Trench 2 1/2' aggregate depth	x	1.25	
Total		Total	

In Lieu of meeting the above, an alternative and/or professional design is attached for approval AND the system will be located as not to adversely affect other property, any septic systems or drinking water wells on this or any other parcel.

Site Sketch Plan showing:

- Property lines with dimensions
- Proposed buildings with dimensions
- Proposed impervious surfaces with dimensions
- Proposed septic system, if applicable
- Proposed well site, if applicable
- Proposed stormwater management system(s)

Operation and Maintenance Agreement

Condition on approval – The stormwater management plan must be fully implemented prior to a request for final inspection of the building or zoning permit.

Acknowledgement – By executing below, the Owner acknowledges the following:


I declare that I am the owner of the property. The information provided is accurate. I further acknowledge that municipal representatives are granted access to the above described property for review and inspection as may be required.

_____ **Owner**

Date: _____



Sample Site Plan for Stormwater Management Documentation



Please Include:

- Dimensions and approximate locations of all proposed *impervious areas
- Neighboring property lines
- Streams
- Road Names



STORMWATER MANAGEMENT

Site Plan

*To be used whenever more than 1,000 sq. ft. of impervious surface
or non-exempt single family homes are proposed.*

Please Include:

- Dimensions and approximate locations of all proposed *impervious areas
- Neighboring property lines
- Streams
- Road Names

***Impervious Areas** are areas that prevent the infiltration of water into the ground.
(Roofs, patios, garages, storage sheds and similar structures, and any new streets or sidewalks)